

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A molding composition ~~comprising~~  
consisting essentially of the components of:

(A) a fibrous material;

(B) an inorganic filler;

at least one of (C) a radical polymerizable unsaturated polyester having an acid value of 3 to 60 KOHmg/g and (D) a radical polymerizable unsaturated polyester-polyamide having an acid value of 3 to 60 KOHmg/g; and

(E) a radical generator,

wherein the component (B) has been internally added to at least one of the components (C) and (D).

2. (Currently Amended) A molding composition ~~comprising~~  
consisting essentially of the components of:

(A) a fibrous material of an organic fiber;

at least one of (C) a radical polymerizable unsaturated polyester having an acid value of 3 to 60 KOHmg/g and (D) a radical polymerizable unsaturated polyester-polyamide having an acid value of 3 to 60 KOHmg/g;

(E) a radical generator; and

(F) a di- or higher valent metal salt of a fatty acid.

3. (Original) The molding composition according to claim 1, wherein the component (B) has an average particle size of 0.1 to 50  $\mu\text{m}$ .

4. (Original) The molding composition according to claim 1, which comprises 29 to 99% by weight of the component (A), 0.5 to 70% by weight, in total, of the components (C) and (D), 0.1 to 30% by weight of the component (E), each based on the total composition, and 0.1 to 70 parts by weight of the component (B) per 100 parts by weight of the total of the components (C) and (D).

5. (Original) The molding composition according to claim 2, which comprises 29 to 99% by weight of the component (A), 0.5 to 70% by weight, in total, of the components (C) and (D), 0.1 to 30% by weight of the component (E), and 0.1 to 10% by weight of the component (F) each based on the total composition.

6. (Original) The molding composition according to claim 2, which further comprises the component of (B) an inorganic filler.

7. (Original) The molding composition according to claim 6, wherein the component (B) is present in an amount of 0.1 to 200 parts by weight per 100 parts by weight of the total of the components (C) and (D).

8. (Original) The molding composition according to claim 6, wherein the component (B) has an average particle size of 0.1 to 50  $\mu\text{m}$ .

9. (Cancelled)

10. (Original) A molded article obtained by molding the molding composition according to claim 1.

11. (Original) A molded article obtained by molding the molding composition according to claim 2.

12. (Currently Amended) A resin composition ~~comprising~~ consisting essentially of the components of at least one of (C) an unsaturated polyester having an acid value of 3 to 60 KOHmg/g and (D) an unsaturated polyester-polyamide having an acid value of 3 to 60 KOHmg/g and (B) an inorganic filler, wherein the component (B) has been internally added to at least one of the component (C) and (D).